

# VGA to HDMI® Adapter with USB Audio & Power – Portable VGA to HDMI Converter – 1080p

StarTech ID: VGA2HDU



The VGA2HDU VGA to HDMI adapter lets you turn the VGA port on your Desktop or Laptop computer into an HDMI output port.

With the VGA2HDU, you can expand your VGA video output to accommodate the increasing number of displays and projectors that only support HDMI.

Not all VGA converters are created equal. This adapter ensures you're harnessing the highest video quality from your VGA output, with support for resolutions up to 1920x1080 (1080p).

For hassle-free setup the VGA to HDMI adapter allows for plug-and-play installation. Plus, with a built-in USB power cable the device is powered using the USB port on your computer. The VGA to HDMI adapter will work with any computer operating system, but when working with a Windows® computer the adapter supports native USB audio, allowing you to add your computer audio to the HDMI signal.

The VGA2HDU is backed by a StarTech.com 2-year warranty and free lifetime technical support.

#### **Applications**

- Connect your VGA-equipped computer to an HDMI home theatre system
- Share video content from your VGA-equipped computer on an HDMI television or projector
- Connect a legacy VGA-equipped device to a newer HDMI display
- Share audio from your Windows based PC





#### **Features**

- Supports video resolutions up to 1920x1080
- Plug-and-play installation
- USB powered
- USB audio
- Compact, lightweight design



#### **Technical Specifications**

Warranty 2 Years
Adapter Style Adapter
Audio Yes
Cabling HDMI
Chipset ID MS9282

Converter Type Format Converter

Output Signal HDMI

Maximum Analog Resolutions 1920x1080 Maximum Digital Resolutions 1920x1080

Supported Resolutions 1920x1080 (1080p)

1680x1050 (WSXGA+)

1600x1200 1600x900 1440x900

1400x1050 (SXGA+)

1366x768 1360x768 1280x1024 1280x960 1280x800

1280x768 (WXGA) 1280x720p (720p)

1280x600 1152x864 1024x768

800x600 (SVGA) 640x480 (480p)

Wide Screen Supported Yes

Connector A 1 - VGA (15 pin; High Density D-Sub) Male Input

Connector A 1 - USB A (4 pin) Male

Connector B 1 - HDMI (19 pin) Female Output

Note List of supported operating systems refers to USB audio support

Color Black Enclosure Type Plastic

Product Height 15 mm [0.6 in]
Product Length 260 mm [10.2 in]



## Hard-to-find made easy®

**Spec Sheet** 

Product Weight 62 g [2.2 oz]
Product Width 35 mm [1.4 in]
Power Source USB-Powered
Humidity 40%-85%RH

Operating Temperature 0°C to 60°C (32°F to 140°F)
Storage Temperature -10°C to 70°C (14°F to 158°F)

Shipping (Package) Weight 0.2 kg [0.3 lb]

Included in Package 1 - VGA to HDMI adapter w/ USB power & audio

Included in Package 1 - 2ft USB Extension Cable

### Certifications, Reports and Compatibility







