



Compact 3-in-1 mono laser printer

DCP-L2532DW



PRINT



COPY



SCAN



WIRELESS

www.brother.eu

Compact 3-in-1 mono laser printer

Designed for busy home and small offices. The affordable DCP-L2532DW comes feature rich with fast print speeds, and built-in wireless connectivity - in a quiet and compact unit.

DCP-L2532DW



Key Features:

- Fast print speeds of up to 30 pages per minute
- Automatic 2-sided print
- 250 sheet paper input
- Wireless connectivity
- Up to 700 page* inbox toner
- 64MB memory

Performance designed for businesses of tomorrow

Designed to be set up and ready to use in minutes, the DCP-L2532DW comes with fast print speeds of up to 30 pages per minute, and wireless connectivity to print from your mobile phone or tablet.

Maximum value for money

With cost being a key factor for many businesses, we've ensured that the DCP-L2532DW gives you the best value for money. Using our high yield toner cartridges, together with automatic 2-sided print, can seriously reduce the cost of each print job.

Quiet without compromise

Print quietly without compromising on speed or quality, operating at the lowest decibel in class (under 50dB). The compact DCP-L2532DW, is designed to sit on your desk, quietly printing at full speed, while you work without interruption.

Designed to go the distance

Built to perform for longer. The DCP-L2532DW, has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, providing the peace of mind that your printer will keep on going.

* Approx declared yield value in accordance with ISO/IEC 19752

General

Technology

Electrophotographic Laser Printer

Laser Classification

Class 1 Laser
Product (IEC60825-1:2014)

Processor

600MHz

Memory

64MB

Wireless Network Interface

IEEE 802.11b/g/n

Control Panel

2 Line, 16 character LCD Display

Local Interface

Hi-Speed USB 2.0

Print

Print Speed Standard (A4)

Up to 30ppm (pages per minute)

Print Speed 2-Sided (A4)

Up to 15 sides per minute (7.5 sheets per minute)

Resolution

Up to 1,200 x 1,200 dpi

Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 13ppm

Automatic 2-Sided Printing

Print on to both sides of the paper

FPOT (First Print Out Time)

Less than 8.5 seconds from ready mode

Warm Up Time

Less than 9 seconds from sleep mode

Print Languages

GDI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

ID Printing⁴

Add identification to your printed documents (date & time, short custom message or PC username)

Manual 2-Sided Print⁴

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

Booklet Printing⁴

Print documents in A5 booklet format using automatic or manual 2-sided print

Skip Blank Page⁴

Ignores any blank pages in your documents by not printing them

Print Profiles³

Store your favourite driver settings as profiles to easily recall them

Print Text In Black⁴

Converts all text in your documents to black when printed

Print Archive⁴

An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file

Printer Driver

Windows[®]

Windows[®]10 (32 & 64 bit editions)
Windows[®]8 (32 & 64 bit editions)
Windows[®]7 (32 & 64 bit editions)
Windows[®] Server 2016 (32 & 64 bit editions)
Windows[®] Server 2012, 2012R2 & 2008R2
Windows[®] Server 2008 (32 & 64 bit editions)

Macintosh⁵

macOS 10.8.x or greater
Linux⁵
CUPS, LPD/LPRng (32 & 64 bit editions)

Standard Paper Handling

Paper Input²

Standard Tray - 250 sheets
Manual feed slot - 1 sheet

Paper Output²

Face Down - 120 sheets
Face Up (Straight Paper Path) - 1 sheets

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Media Specification

Media Types & Weights

Standard
Plain & recycled paper
(between 60 - 163g/m²)
Manual feed slot
Plain, Recycled, Bond,
Label, Envelope,
(between 60 - 230g/m²)
2-sided Print
Plain & recycled paper
(between 60 - 105g/m²)

Envelope & Label Printing

Yes, from the Manual feed
slot: support for 1 envelope /
sheet

Media Sizes

Standard Tray
A4, Letter, A5, A5 (Long
Edge), A6, Executive
Manual feed slot
Width: 76.2mm to 215.9mm x
Length: 127mm to 355.6mm
2-sided Print
A4

Mobile / Web Based Printing & Scanning

Brother iPrint&Scan (Android)

Print from, scan to, preview
copies and check the
machine status from an
Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, preview
copies and check the
machine status from an iPad
/ iPhone / iPod Touch

Brother iPrint&Scan (Windows® Phone)

Print from and scan to a
smart phone running the
Windows® Phone Operating
System

Brother Print&Scan (Windows® 8,10 & RT)

Print from and scan to a
Windows® 8,10 or
Windows RT Tablet

Google Cloud Print 2.0

Print most common file
types from any Google
Cloud Print enabled
application

Google Cloud Print 2.0

Print most common file
types from any Google
Cloud Print enabled
application

AirPrint

Print from and scan to most
common file types from any
AirPrint enabled application

Brother Print Service Plugin

Print from Android devices
without a dedicated App

Mopria

Print most common file types
from Mopria supported
Android devices

Copy

Speed - (A4)

Up to 30cpm
(copies per
minute)

FCOT (First Copy Time Out)

Less than 10 seconds from
ready mode

Resolution

Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 99 copies of
each page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document
sizes from 25% to 400% in
1% increments

N in 1 Copying

Allows the user to compress
2 or 4 pages on to a single
A4 sheet

2in1 ID Copying

Allows the user to copy both
sides of an ID card to a
single A4 sheet

Grey Scale

256 shades of grey (8 bit)

Receipt Copying

Produces clearer copies
of receipts

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

7 For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time
of printing and are subject to
change.

Brother is a registered trademark of Brother
Industries Ltd. Brand product names are
registered trademarks or trademarks of
their respective companies.

Scan	Scanner Type CIS (Contact Image Sensor)	Colour Depth 16,777,216 colour variations (24 bit)	Scan to SharePoint⁷ Scan documents directly into SharePoint
	Colour & Mono Scanning Yes	Grey Scale 256 shades of grey (8 bit)	Windows® Web Services Scanning Scan direct into Windows® (from Windows®7 & onwards) without needing to install a scanner driver
	Scan Resolution from Scanner Glass Up to 1,200 x 1,200dpi	Standard Functions⁷ Scan to E-mail, OCR, Image & File	
	Interpolated Scan Resolution Up to 19,200 x 19,200dpi	Scan Features Remove Background, Skip Blank Page ⁴ , ID Scan ⁴ , 1 to 2 Scan ⁴ , Split PDF	

Scanner Driver	Windows® Windows®10 (32 & 64 bit editions) Windows®8 (32 & 64 bit editions) Windows®8 (32 & 64 bit editions)	Macintosh⁵ macOS 10.8.x or greater	
	Linux⁵ SANE(32 & 64 bit editions)		

Network and Security	Wireless Network IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)	Network Protocols TCP/IP (IPv4 and IPv6)	E-mail Notifications Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
	Wi-Fi Direct™ Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)	IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print)	E-mail Reports Receive usage reports on a regular basis via e-mail
	Wireless Set-Up Support Wi-Fi Protected Setup (WPS)	IPv6 NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS client and server, ICMPv6, Sntp Client, Web Services (Print)	IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only)
	Wireless Applications Vertical Pairing		

Fleet Management Tools	Unattended Installer⁴ Ability to centrally deploy and customise our drivers and software	BRAdmin Light^{4&5} LAN/WAN management software	Driver Deployment Wizard⁴ Easily create print drivers for hassle free deployment over your network
	MSI Installer⁴ Modular installers that can be distributed through Active Directory®	Embedded Web Server Web based print management software embedded onto the device	

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

PrintSmart Solutions (optional)

PrintSmart Cost Control
Monitor and control printing costs for all Brother and 3rd party devices

Supplies

Inbox Toner
700 pages¹

Standard Yield Toner
1,200 pages¹(TN-2411)

High Yield Toner
3,000 pages¹(TN-2421)

Drum (DR-2401)
Approx 12,000 pages

Carton Contents
Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Dimensions and Weights

Without Carton (WxDxH)
410 x 398.5 x 272 mm - 10.3kg

With Carton (WxDxH)
580 x 517 x 434 mm - 13.4kg

Duty Cycles

Recommended Monthly
Up to 2,000 pages monthly print volume

Maximum Monthly⁶
Up to 15,000 pages monthly print volume

Environment

Power Consumption
Printing - 440W (260W in quiet mode),
Ready - 42W,
Sleep - 6.2W,
Deep sleep - 0.9W, Off - 0.03W

TEC Value
1.232kWh / Week

Sound Pressure Level
Printing
g
48dbA,
Quiet mode
printing 44dbA,
Ready
Up to 30dbA

Power Saving
This enables the printer to consume less energy when not in use

Toner Saving
This reduces the toner usage and helps to reduce the total cost of printer ownership

Energy Star
Yes

Blue Angel
Yes

Nordic Swan
Yes

GS Mark
Yes

Eco Mode
Yes



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved.

We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side