







V7 Interactive Flat Panel (IFP) - 65 Inch 4K Android 11 Display 4GB/32GB with Wi-Fi and wall mount



# IFP6501-V7

SKU: CE32911

V7 Interactive Flat Panel 4K displays allow users to easily collaborate, save and share ideas interactively and digitally in meeting rooms and classrooms. It is optimal for leading classrooms or meetings including whiteboard, note taking, web browser, screen sharing and recording, and more. With Bytello Share, you can share and receive content between the IFP and Windows, Mac OS, Chrome OS, Android, and iOS Devices using the included application or using Miracast, ChromeCast or AirPlay (up to 9 devices split screen at one time). Bytello DMS software included for bulk remote management, status monitoring, volume control, broadcasting and more. With one USB-C cable users can share content, allow 2-way touch, and charge your device with 65W Power Delivery. Connect to a variety of resources and provide a great interactive multimedia environment with 20 point touch, two 16 watt speakers, and a multitude of ports including USB, video, Bluetooth and wired/wireless networking.

- Android 11 system with easy to use built in applications for leading classrooms and meetings interactively with the audience
- 4K Interactive Touch Display with 20 point touch
- Wired and Wireless Networking included with Internet access and screen sharing to and from almost any device
- USB-C connection allows screen sharing, 2-way touch, and charges your device with 65W Power Delivery with one cable
- 2 x 16W Speakers and Bluetooth wireless Connectivity
- 5 year subscription of Bytello DMS software included for bulk remote management
- Includes heavy duty wall mount for fast deployment

### General

Sku: CE32911 Model: IFP6501-V7 EAN: 0662919115857 Warranty: 5 years

Country Of Origin: China

Compliance: CE, Energy Star, FCC, RoHS, TUV, UL,

WEEE

Package Type: One Color
Package Includes: IFP, 3m US power cord, 3m
Schuko power cord, 3m UK power cord, 1.8m USB-C
Cable, 3m HDMI cable, 2 Writing Pens, 1 Remote
Control with 2 AAA batteries, Quick Start Guide,
Heavy Duty Wall Mount, 802.11ac (2T2R) Wi-Fi

Module

#### Color

Color: Black

### Design

Resolution: 3840 x 2160 px (4K)

### Package Dimensions

Package Dimensions (L/W/H):  $64.09 \times 8.19 \times 39.57$  in ( $1628 \times 208 \times 1005$  mm) Package Weight: 98.55 lbs (44.7 kg)

#### **Product Dimensions**

Product Dim (L/W/H):  $58.6 \times 3.43 \times 35.3$  in (1488.4 x  $87.2 \times 896.6$  mm)

Product Weight: 77.05 lbs (34.95 kg)

### Other

Additional Info: IFP, 3m US power cord, 3m Schuko power cord, 3m UK power cord, 1.8m USB-C Cable, 3m HDMI cable, 2 Writing Pens, 1 Remote Control with 2 AAA batteries, Quick Start Guide, Heavy Duty Wall Mount, 802.11ac (2T2R) Wi-Fi Module

#### Technical

Panel Size: 65 in Panel Type: ADS

Power Input: AC 100V-240V 50-60Hz

Aspect Ratio: 16:9
Response Time: 8 ms
Viewing Angle: 178°H / 178°V
Power Delivery: 65 Watts
Brightness: 410 nits
Contrast Ratio: 1200:1
Dynamic Contrast Ratio: 4000:1

Input Port: Audio 35mm, HDMI, USB, USB-C, VGA

VESA Mount: 600 x 400 mm

Active Display Area: 1428.48 x 803.52 mm (56.23 x

31.63 in)

Storage Temperature : -20⊠ - 60⊠

Glass Hardness: 1428.48 x 803.52 mm (56.23 x 31.63

in)

Operating Temperature: 0\,\overline{\Omega}\)- 40\overline{\Omega}

Speaker: 2 x 16W

Storage Humidity: 10% - 90%RH Wall Mount Screw Size: M8 x 25 mm Support Colors: 1.07B (10bits + FRC) Operating Humidity: 10% - 90%RH

Pixel Pitch (H/V): 372x 372 Speaker Output Power: 2 x 16W

Power Consumption: Maximum - 360W; Typical - 200W; Standby - ≤0.5W; Energy Star 8.0 Test Result -

128.09W



### **Android System**

Android 11.0 4K UI, CPU A55 x 4, GPU ARM Mali G52 MP 2

RAM: 4 GB DDR3 ROM: 32GB

#### **Touch System Software**

Sensing Type: Infrared Recognition

 ${\hbox{OS Compatibility: Windows, Linux, Mac OS, Android, Chrome}\\$ 

Bonding: 0 Gap

Touch Tool: Finger, Passive infrared pen Touch Accuracy: ±1mm 90% area Touch Point: 10 Writing, 20 Touch

Touch Height: 1.5mm Touch Drive: Free drive

Simultaneous Writing With Two Pens: Yes, with two different colors

Response Time: 8 ms Writing Height: 2mm Glass Type: G1S Anti-Glare Glass Thickness: 3 mm Glass Hardness: 9H

Interpolation Resolution: 32767 x 32767

### Specifications

Surface Treatment: Haze 25%; Anti-glare treatment Light Sensor: Automatic brightness adjustment

Backlight Unit: D-LED

Connectors:

- HDMI Input x 3
- $\bullet$  USB 2.0 x 1 (for Software update only)
- $\bullet$  USB 3.0 x 4 2 front (with passthrough in/out) + 2 rear
- USB-C x 1 (65W PD, DP 1.4, Touch) pass through)
- VGA In x 1
- Touch out USB 3.0 x 2
- Audio in/out 3.5mm x 1
- SPDIF x 1
- WIFI 802.11ac (2T2R) Wi-Fi Module Included with Hotspot
- LAN(RJ45) 10/100/1000Mbps LAN both in & out auto switch
- RS232 DB9 x 1
- OPS Slot -80 Pins
- Bluetooth 5.0

## Software Overview

Built in advanced interactive multimedia presenting platform. Offers note taking and whiteboard, add shapes, multiple colors, and more.

SCREENSHARE PRO. Share and receive content from Windows, Mac, Chrome OS, Android, iOS using app or using Miracast, ChromeCast, or AirPlay (up to 6 devices split screen at a time)

FINDER & CLOUD DRIVE. For local storage and cloud file management including Google Drive and One Drive

WPS OFFICE. Create, Display, and Edit Office Files

WEB BROWSER. Chromium based secure browser with bookmarks and advanced features.

SCREEN RECORDING. Screen Recording for recording and sharing lessons

AIR CLASS. Allows presenter to create polls, questionnaires, voting, and responses for users with any device that has a web browser

**CROP.** Capture and Save a portion of the screen

TIMER Start a countdown timer.

SPOTLIGHT. Highlight a portion of the screen to help the audience focus.

STOPWATCH. Start and Stop Time Tracking.

FREEZE. Capture the screen, Zoom in & out.

SCREENLOCK. Secure the screen with a Password

PALETTE. For painting and drawing.

The data ELEME Pullication is for illustration purposes only and does not necessarily represent standards or specifications which must be met by V7. Design and specifications are subject to change without prior notice. Trademarks belong to their respective owners. No responsibility assumed and all liability for damages resulting from use of this information or for any errors or omissions, are disclaimed. Measurement standards and testing conditions, as per manufacturer definitions, are available on request. Last Updated: May 15, 2023 09:01 Page 3



Simple memory and system management with one click.

SOFTWARE UPDATE. OTA (Over the Air) and USB