

MPN: HDM191925V2.00P

# Premium Optic Fiber HDMI 2.0 Cable

## 25m

This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range ), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load



## Specificații

<b>Battery</b>	<b>Battery Type</b>	NONE - Only use for non-battery items
<b>Features</b>	<b>3D</b>	Yes
	<b>Audio Return Channel (ARC)</b>	Yes
	<b>Cable jacket material</b>	Polyvinyl chloride (PVC)
	<b>Cable length</b>	25 m
	<b>Cable material</b>	Fiber optic
	<b>Connector 1</b>	HDMI Type A (Standard)
	<b>Connector 1 form factor</b>	Straight
	<b>Connector 1 gender</b>	Male
	<b>Connector 2</b>	HDMI Type A (Standard)
	<b>Connector 2 form factor</b>	Straight
	<b>Connector 2 gender</b>	Male
	<b>Connector contacts plating</b>	Gold
	<b>Data transfer rate</b>	18 Gbit/s
	<b>Dolby technologies</b>	Dolby TrueHD
	<b>HDCP</b>	Yes
	<b>HDCP version</b>	1.4/2.2
	<b>HDMI version</b>	2.0
	<b>High Dynamic Range (HDR) supported</b>	Yes
	<b>Maximum refresh rate</b>	60 Hz
	<b>Maximum resolution</b>	4096 x 2160 Pixel
	<b>Plug and Play</b>	Yes
	<b>Product colour</b>	Black

Features	Quantity per pack	1 buc.
	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
Other features	Quantity	1
Package dimensions (verified)	Depth Verified	22,7 cm
	Gross Weight Verified	1,068 kg
	Height Verified	7,6 cm
	Width Verified	24 cm
Product dimensions	Net Weight (Product, kg)	0,968 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 An(i)
Weight & dimensions	Cable diameter	4,5 milimetri

## Alte produse din această serie

Cable length	
10,0	HDM191910V2.0OP
15,0	HDM191915V2.0OP
20,0	HDM191920V2.0OP
25,0	HDM191925V2.0OP
30,0	HDM191930V2.0OP
40,0	HDM191940V2.0OP
50,0	HDM191950V2.0OP
70,0	HDM191970V2.0OP
75,0	HDM191975V2.0OP
100,0	HDM1919100V2.0OP
110,0	HDM1919110V2.0OP

## Alte imagini

