

# CHERRY G80-1800

Small dimensions and top performance!



Models may vary from the image shown

Standard? Yes! Boring? No - the compact design of the 19 inch PC keyboard is highly distinctive. For space-saving applications and optimum longevity requirements.

## FUNCTION AND PERFORMANCE

- Individual keys with Gold Crosspoint contacts (MX technology)
- Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- Perfect key feeling
- High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- Extremely high service life of individual keys

## TECHNICAL DATA

Weight main product:	920 g
Dimensions product without packaging:	405 mm x 180 mm x 44 mm

Weight of product incl. packaging:	1,190 g
Dimensions product incl. packaging:	460 mm x 270 mm x 50 mm
Content of master carton (pieces):	18
Cable-length:	175 cm
Storage temperature:	-20 °C - 60 °C
Working temperature:	0 °C - 50 °C
Product approvals:	<ul style="list-style-type: none"><li>• CE</li><li>• cURus</li><li>• FCC</li><li>• VDE</li><li>• UKCA</li><li>• China RoHS</li></ul>
System Requirements- Hardware:	<ul style="list-style-type: none"><li>• USB-A</li><li>• PS/2</li></ul>
Operating system:	<ul style="list-style-type: none"><li>• Windows 7</li><li>• Windows 8</li><li>• Windows 10</li><li>• Windows 11</li></ul>
Scope of delivery:	<ul style="list-style-type: none"><li>• Manual</li><li>• Keyboard</li></ul>
Reliability:	MTBF 90: > 10 Mio.
Service life per key (in million strokes):	50 mio. actuations
Switching characteristics:	linear
Max. current consumption (mA) of keyboard:	16 mA
Keyboard format:	Compact (96%)
Integrated metal plate:	yes
N-key rollover:	not specified
Anti-ghosting:	not specified
Key encryption:	no
Internal memory:	no
Actuating force (cN):	60 cN

Forward travel:	2 mm
Key stroke total travel path:	4 mm
Key labeling:	Laser etching
Palm rest:	Palm rest not available
USB hub:	no
Illumination:	no
Adjustable feet:	integrated
Status LEDs:	in housing
Key technology:	Mechanical

Switches:	CHERRY MX BLACK
Keycap material:	ABS
Model number:	MX 1800
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

EAN & Part number	Switches	Color	Illumination	Layout
4025112065040 G80-1800LPCDE-2	CHERRY MX BLACK	black	no	DE (Germany)
4025112064975 G80-1800LPCEU-2	CHERRY MX BLACK	black	no	EU (USA+ €-Symbol)
4025112072031 G80-1800LPCGB-2	CHERRY MX BLACK	black	no	GB (United Kingdom)
4025112064968 G80-1800LPCDE-0	CHERRY MX BLACK	light-grey	no	DE (Germany)
4025112072000 G80-1800LPCES-0	CHERRY MX BLACK	light-grey	no	ES (Spain)
4025112064937 G80-1800LPCEU-0	CHERRY MX BLACK	light-grey	no	EU (USA+ €-Symbol)
4025112064951 G80-1800LPCFR-0	CHERRY MX BLACK	light-grey	no	FR (France)
4025112064944 G80-1800LPCGB-0	CHERRY MX BLACK	light-grey	no	GB (United Kingdom)
4025112073335 G80-1800LPCIT-0	CHERRY MX BLACK	light-grey	no	IT (Italy)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.