


Rhino™ 4200



Compact, Time-Saving Label Maker for On-The-Go Pros

- Familiar computer-style keyboard with country-specific layout for fast and easy text entry
- One-Touch “Hot Keys” provide shortcuts for creating and formatting wire/cable wraps, flags, Code 39 and Code 128 bar codes, fixed-length, general and breaker labels
- “Favorites” key provides single-key access to your most commonly used labels, symbols and terms
- Avoid repeated steps with the “Custom” key – customize and save settings for individual label formats
- Pre-programmed library with 150 symbols and terms for security, electrical, pro A/V, and facilities management
- Integrated rubber bumpers help prevent damage from accidental drops and falls
- Large back-lit display is easy to read, even in dimly-lit work areas
- Prints 57% faster than the competition*

*Based on independent testing of Rhino 4200 vs. Brother PT-1400 and Brother PT-7100 in default settings



Single Unit Includes:

- Rhino 4200 Label Maker
- 12 mm White Vinyl Label Cartridge
- Quick Reference Guide



Quick Specs

Unit Dimensions (H x W x L)	215 x 103 x 57 mm
Weight (excluding battery)	540 g
Mac®/PC Compatible	No
Accepts Label Sizes	6mm, 9mm, 12mm, 19mm
Tape Platform	IND Rhino™
Resolution	180 dpi
Printing System	Thermal Transfer
Print Speed	15mm/sec
Barcodes	Yes, Code 39 & Code 128
Cutter Type	Manual
Batteries	6 AA or Rechargeable (not included)
AC Adapter	Yes (not included)
Networking	No
Country of Origin	China

Item Number	Description		Length (cm)	Width (cm)	Height (cm)	Weight (kg)	QTY	EAN	Customer Price
S0955950	RHINO 4200 UK/IRL	Unit	8.8	15.6	23.0	0.7	1	3501170955956	
		Shelf	-	-	-	-	-	-	
		Case	23.0	20.0	35.0	3.2	4	13501170955953	
		Pallet	120.0	80.0	120.0	216.3	240	-	
Accessories									
S0721430	RHINO AC Adapter	Unit	11.5	5.9	8.9	0.2	1	5411313400756	
S0895840	Rechargeable battery	Unit	8.5	3.2	8.9	0.1	1	3501170895849	



IND Vinyl

Ideal for both indoor and outdoor applications. Available in the widest range of colors that meet OSHA, ANSI and ISO color standards.

- UL recognized component to UL 969
- RoHS compliant
- Temperature rating: -40°C to 80°C

IND Flexible Nylon

Specifically designed for curved surfaces and wire and cable marking.

- UL recognized component to UL 969
- RoHS compliant
- Temperature rating: -10°C to 80°C

IND Permanent Polyester

Professional, polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more.

- UL recognized component to UL 969
- RoHS compliant
- For flat surfaces only
- Temperature rating: -40°C to 150°C

IND Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables.

- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)
- UL recognized as a component to UL 224
- RoHS compliant
- Temperature rating: -55° C to 135°C

IND Compatible Labels													
Width	Length	A	A	A	A	A	A	A	A	A	A	A	A
IND VINYL													
9mm	5.5m	18443	-	-	-	-	-	1805437	-	-	-	-	-
12mm		18444	-	18432	18435	1805413	1805416	1805435	1805414	1805243	1805415	1805412	
19mm		18445	-	18433	18436	1805419	1805422	1805436	1805420	1805417	1805421	1805418	
IND PERMANENT POLYESTER													
6mm	5.5m	1805442	1805440	-	-	1805441	-	-	-	-	-	-	-
9mm		18482	18508DMO	-	-	18485	-	-	-	-	-	-	
12mm		18483	622289	-	-	18486	-	-	-	-	-	-	
19mm		18484	622290	-	-	18487	-	-	-	-	-	-	
IND FLEXIBLE NYLON													
12mm	3.5m	18488	-	18490	-	-	-	-	-	-	-	-	-
19mm	3.5m	18489	-	18491	-	-	-	-	-	-	-	-	-
IND HEAT-SHRINK TUBE													
6mm	1.5m	18051	-	18052	-	-	-	-	-	-	-	-	-
9mm		18053	-	18054	-	-	-	-	-	-	-	-	
12mm		18055	-	18056	-	-	-	-	-	-	-	-	
19mm		18057	-	18058	-	-	-	-	-	-	-	-	

Country of Origin: Belgium

DISTRIBUTED BY:
 Newell Europe Sàrl
 Chemin de Blandonnet 10
 1214 Vernier – Switzerland
 WWW.DYMO.COM



A *Newell Rubbermaid* Brand

A NewellRubbermaid Company™

SCHAWK!

RMZ Millennia Business Park
Campus - 2, 5th Floor
No. 143, Dr.M. G. R. Road
Kandanchavadi | Chennai 600 098 India
T +91 44 4213 7777 | www.schawk.com



Cyan Magenta Yellow Black

Use the PANTONE MATCHING SYSTEM for accurate color reproduction

VERSION	JOB DESCRIPTION : NRM_EU_Writing_Dymo_1362812_EMEA Product Handbooks_UK Masters FILE NAME : DY_1362812_2014_EMEA_RH4200_TecSheet_v5.indd	BRAND : WRITING-DYMO
5 Date: 10-10-2014 Operator : HL	SCHAWK JOB # : 3102530 NRM JOB # : 1362812 SAP / FG # : N/A COMPONENT # : N/A NO OF PAGES : 2	DIELINE : XXXXX UPC : XXXXX VENDOR : XXXXX
Note :		